### **EVOLVING DOOR SYSTEMS**

Standard sizes from 6'0"- 12'6" or custom diameters to suit job requirements

### Series 1500 Revolving Door

### Stanley 500 Revolving Door



### Features

- 4-Wing design Standard diameters 6'6", 7'0", 7'6", 8'0" Canopy heights standard 3" profile
- Standard finishes clear or #40 Standard
- bronze anodized Standard anodized aluminum push bars - one per wind
- Long lasting stainless steel floor ring
- Upper concealed collapsing mechanism Bookfold
- wing position factory set for emergencyegress
- · Curved tempered glass wall enclosure Locks-standard dead bolt
- Slim line door and enclosure sections
- Overhead speed control
- Easily removed door wings to provide fast and efficient service
- Conforms to all North American Building Codes • One year warranty

### Series 2500/3500 Revolving Doors



- All glass flush glazed door and invisible/visible enclosure base sections
- Concealed collapsing mechanism and speed control Concealed fasteners
- Bookfold wing for emergency egress
- Conforms to all North American building codes Conforms to ASTM E283 for air tightness
- Standard and custom models available Easily removed door wings to provide fast, efficient service
- · Curved laminated glass in enclosure
- Tempered glass in door wings
- All glass canopy option
- Available in "manual or power assist"



### Narrow line flush glazed door and enclosure sections Concealed collapsing mechanism and speed control Concealed fasteners Bookfold wing for emergency egress • Conforms to ASTM E283 for air tightness Standard and custom models available • Easily removed door wings to provide fast, efficient service Curved laminated glass in enclosure (tempered available) Tempered glass in door wings One year warranty

eatures

Available in "manual, automatic or power assist"

### Series 4900 Revolving Door SECURITY REVOLVERS



### Features

 Simultaneous two-way traffic Programmable Controller All type card reader capacity • Vertical load and/or floor mat detectors

### Options:

- Automatic Operation
- Emergency fail safe features
- Breakway doors
- Bullet resistant glazing in cage and wings
- Anodized aluminum, bronze, stainless or painted finishes

C J Rush Entrance Systems Ltd 65 Riviera Drive, Markham, ON L3R 5J6 (T) 905-944-8005 (F) 905-944-8006 Toll Free: 1-888-301-5407 sales@cjrush.com www.cjrush.com



# **Revolving Doors**

## The "Green" solution to your energy-efficient buildings

"Did you know on average 8x as much air is exchanged when a swing door is opened as opposed to a revolving door?"<sup>4</sup>



C J Rush Entrance Systems Ltd. 65 Riviera Drive, Markham, ON L3R 5J6 (T) 905-944-8005 (F) 905-944-8006 Toll Free: 1-888-301-5407 sales@cjrush.com www.cjrush.com



## **Revolving Doors**

The "Green" solution to your energy-efficient buildings

### **Revolving Doors Conserve Energy**

Revolving doors play a significant role in achieving and maintaining the sustainability of the building by providing a constant barrier between the interior and exterior environments (Figure 1). Air filtration through revolving doors is 1/10 of that through a swing door. A swing door, when opened allows new air to rush in, making the HVAC system work harder by using more energy to cool the building during summer months or heat the building during winter months. A study of revolving door usage at MIT (Massachusetts Institute of Technology) estimates that if everyone used the two revolving doors at Building E25 alone. MIT would save almost \$7,500.00 in natural gas annually, amounting to nearly 15 tons of CO2 (Table 1).



### Table 1. Potential savings in different revolving-door usage rates at MIT building E25<sup>2</sup>

Revolving-door usage	50%	75%	100%	
Saving of annual energy consumption	14.5%	38.7%	74.0%	
# of houses the saved energy can heat in one year	1.0	2.7	5.1	
# of years the saved energy can light a 100W bulb	5.8	15.3	29.0	
Tons of CO <sub>2</sub> prevented	3.0	7.7	14.6	

C J Rush Entrance Systems Ltd. 65 Riviera Drive, Markham, ON L3R 5J6 (T) 905-944-8005 (F) 905-944-8006 Toll Free: 1-888-301-5407 sales@cjrush.com www.cjrush.com



### **Benefits of Revolving Doors**

- Provide significant savings on heating and cooling costs.
- in older buildings.
- Cost effective
- Low maintenance
- Reduce dust, dirt and draft
- Modern design and available in a variety of finishes More floor space



### **Unparalleled Value and Superior Craftsmanship**

air lock minimizing heat loss

Stanley Rush is recognized for the highest standards of quality and exceptional selection of custom styles and finishes to accommodate virtually any architectural design. All internal and external parts are constructed of the highest quality materials to withstand the rigors of use and provide maximum strength, durability and long life. The air locks are among the industry's tightest, minimizing outside air infiltration, maintaining interior comfort while keeping noise and dirt to a minimum.

### **Works Cited**

- 1. "Grand Openings" Construction Canada. November 2010

- 4. "Energy Efficiency". Aéroports de Montréal.<http://www.admtl.com/AboutUs/Environment/AeroExo.aspx>
- 5. Environmental Protection Agency: Case Study: Jin Mao Tower Reduces Energy use by 20%
- 7. Revolving Door- Sustainability USA < http://sustainability.mit.edu/content/revolving-doors>



Savings and payback period is less than 5 years for the construction of new buildings or retrofitting entrances



### Sustainable Buildings Energy Saving Measures include Revolving Doors<sup>3</sup>

revolving doors between 2005-2008

reduction in annual energy reduced infiltration year-round

<sup>2.</sup> Modifying Habits Towards Sustainability: A study of Revolving Door Usage on the MIT Campus. 25 May 2006. pg. 24

<sup>3. &</sup>quot;Touchdown SFO". Express Travelworld. January 2008. <a href="http://www.expresstravelworld.com/200801/aviationworld14.shtml">http://www.expresstravelworld.com/200801/aviationworld14.shtml</a>

<sup>6.</sup> Through Low-Cost and No-Cost Operational and Retrofit Measures. (2005). < http://www.juccce.com/documents/Green%20Building/Jin Mao Case Study.pdf>